


FIGURE 1

Western Blot of Flk-1/SEAPS Immunoprecipitation with MAb
DC101

Flk-1
AP




FIGURE 2A



Probe: Anti-Ptyr

FIGURE 2B

MAb ($\mu\text{g/ml}$)	-	-	.5	1	2.5	5
VEGF (40 ng/ml)	-	+	+	+	+	+



Probe: Anti-Ptyr



FIGURE 3A

MAb (5μg/ml)
VEGF (ng/ml)

+	+	+	+	-	-	-	-	+
80	40	20	10	80	40	20	10	-



Anti-Ptyr

20020823

FIGURE 3B




FIGURE 4

Inhibition of VEGF-Flk-1/fms activation by pre-bound MAb DC101

Assay conditions:

					P	C
					$\sqrt{+}$	$\sqrt{+}$
MAb (5μg/ml):	-	+	-	-	+	+
VEGF (ng/ml):	-	-	20	40	40	40




Probe: Anti-Ptyr

Assay conditions: P: MAb pre-bound 15'; VEGF 15'
 C: Competitive assay; MAb
 + VEGF 15'


20020823

FIGURE 5



20020823 11:29:00

FIGURE 6 FACS ANALYSIS OF Anti-flk-1 MAb BINDING TO flk-1/fms
TRANSFECTED 3T3 CELLS (C441)



202304200000

FIGURE 7 SATURATION BINDING OF MAb DC101 TO THE
flk-1/fms RECEPTOR ON THE TRANSFECTED 3T3 CELL LINE C441




FIGURE 8

Immunoprecipitation of phosphorylated Flk-1/fms from
VEGF stimulated Flk-1/fms transfected 3T3 cells

Antibody: 1 2 3 4

 - 200

Anti-pTyr

- Antibodies:
- 1) Rat anti-flk-2 IgG_{2a} 2A13
 - 2) Rat anti-flk-1 IgG₁ DC101
 - 3) Rat anti-flk-2 IgG₁ 23H7
 - 4) Rabbit anti-fms polyclonal IM 133



100-100000
100-100000

FIGURE 9

Sensitivity of VEGF induced phosphorylation of the Flk-1/fms receptor to inhibition by MAb DC101







FIGURE 10

Effect of MAb DC101 on CSF-1 induced phosphorylation of the *fms* receptor


MAb (5 μ g/ml)	-	+	-	-	+	+
CSF-1 (ng/ml)	-	-	20	40	20	40



Probe: Anti-Ptyr

FIGURE 11

Specificity of MAb DC101 neutralization of the activated Flk-1/fms receptor



Rat MAbs: 1) Anti-flk-1 IgG₁ DC101
 2) Anti-flk-2 IgG₁ 23H7
 3) Anti-flk-2 IgG_{2a} 2A13

20020823





Figure 12

FIGURE 13


Immunoprecipitation of phosphorylated receptor bands from
VEGF stimulated HUVEC cells



20020823 T 4060001

FIGURE 14

CONTROL 10% FBS+EC SUPPLEMENT VEGF



20020823 11:40:00

Effect of MAb DC101 on VEGF Receptor Forms in the Tumor Cell Lines A431 and 8161





Figure 15

FIGURE 16A

TREATMENT OF GLIOBLASTOMA
XENOGRAFTS WITH RAT anti-flk-1 MAb



STATISTICAL ANALYSIS


flk-1 SLOPE = 16.09

p VALUE FOR flk-1 VERSUS flk-2 TUMOR SIZE = 0.0001



FIGURE 16B

TREATMENT OF GLIOBLASTOMA
XENOGRAFTS WITH RAT anti-flk-2 Mab



STATISTICAL ANALYSIS

flk-2 SLOPE = 37.39

p VALUE FOR flk-1 VERSUS flk-2 TUMOR SIZE = 0.0001

20020723

FIGURE 17

